











ID-Mobile Law Enforcement Video Equipment

www.dakotamicro.com - 1 877 VIEW 911





Product	Part Number	Standard Kit Includes all Items on page 1
<p>ID-Mobile Digital Video Recorder w/removable drive. Includes drive carriage assembly with 100GB HDD, backlit keypad, GPS receiver, all power and connection cables and record indicator LED.</p> <p>DVR Dimensions: 2.5"H x 7.75"W x 7"L Requires 11" L for installation w/ cables</p>	DMID-MDR4C-V3	
<p>ID-Mobile 6mm camera. No Infrared. Forward facing, wide view camera, fixed focus. 53-degree field of view. Black powder coated aluminum body.</p> <p>Camera Dimensions: 2.25"H x 2"W x 2"L</p>	DMID-RC-6	
<p>ID-Mobile 16mm camera. No Infrared. Forward facing, narrow view camera; fixed focus. 15-degree field of view. Intended for License plate record. Black powder coated aluminum body.</p>	DMID-RC-16	
<p>ID-Mobile 2.8mm camera. With Infrared. Rear facing, wide view camera; fixed focus. 105-degree field of view. Intended for monitoring rear seat activity. Black powder coated aluminum body.</p>	DMID-RC-2.8-IR	
<p>ID-Mobile Dual camera mount. Windshield mount. Permanent. Dual adjustable knuckles.</p> <p><i>Shown w/ cameras attached</i> DCM Dimensions: 6.5"H</p>	DMID-DCM-W	
<p>ID-Mobile 6" LCD TFT Monitor includes remote and all necessary cabling and adaptors.</p> <p>Dimensions: 4.5"H x 6.5"W x 1.25"D NOTE: Part number DMID-RCAE will be required for trunk mounting of MDR4C-V3</p>	DMID-6M	
<p>Panavise T-Stud monitor mount. Dual adjustable knuckles.</p>	DMID-PVPM	
<p>Telex Wireless Body Mic. Transmitter and Receiver. Includes noise filter and in-vehicle charger.</p> <p>Transmitter Dimensions: 2.5"H x 2"L x 1"D Receiver Dimensions: 3"H x 2.75W x 3"L</p>	DMID-TWBM	
<p>ID-Mobile In Vehicle Microphone. Includes in-line noise filter Cord Length: 12'</p>	DMID-IVM	
<p>USB Hard Drive Reader. Allows for direct USB interface of 2.5" hard drive. Includes USB cable.</p> <p>1 unit per department (for every 10 systems) at no charge. Purchase price \$140. Hard Drive & Carriage Assembly NOT included Dimensions: 1.75"H x 7"W x 7.25"L</p>	DMID-USB	

ID-Mobile Law Enforcement Video Equipment





www.dakotamicro.com - 1 877 VIEW 911

Remote/Wireless Options

Products	Part Number	Photo
<p>ID-Mobile w/ Waterproof Transmitter and standard receiver, includes 2 pcs. Each of 3db antennas, hardwire power, A/C power adaptors, A/V adaptors, brackets & screws.</p> <p>Trans. Dimensions: 1.25"H x 5.75"W x 4.75"L Receiver Dimensions: 1.25"H x 2.25"W x 4" L</p>	DMID-WWPKIT	
<p>ID-Mobile Wireless Pair, includes 2 pcs. Each of 3db antennas, hardwire power, A/C power adaptors, A/V adaptors, brackets & screws.</p> <p>Transmitter/Receiver Dimensions: 1.25"H x 2.25"W x 4" L</p>	DMID-WKIT	
<p>ID-Mobile wireless Transmitter Only, includes 3db antenna, hardwire power, A/C power adaptor, A/V adaptor, brackets & screws.</p> <p>Transmitter Dimensions: 1.25"H x 2.25"W x 4"L</p>	DMID-WTX	
<p>ID-Mobile Waterproof Transmitter, includes 3db antenna, hardwire power, A/C power adaptor, brackets & screws.</p> <p>Trans. Dimensions: 1.25"H x 5.75"W x 4.75"L</p>	DMID-WWP TX	
<p>ID-Mobile Easy Switch Receiver , includes 3db antenna, hardwire power, A/C power adaptor, A/V adaptor</p> <p>Receiver Dimensions: 1.25"H x 2.25"W x 4" L</p>	DMID-WES	
<p>5DBI Wireless Antenna Omni-Directional</p> <p>Antenna Length: 9.25"H w/ 6' cord</p>	DMID-WA5	
<p>8DBI Wireless Antenna omni-directional w/ 20' cable</p> <p>Antenna Length: 17"</p>	DMID-WA8	
<p>8DBI Wireless Panel Antenna Flat mount directional antenna w/20' cable</p> <p>Antenna Dimensions: 4.25"H x 4"W x 1.25"L</p>	DMID-WA8P	

<p>15DBI Yagi Wireless Antenna Directional antenna w/20ft cable <i>Antenna Dimensions: 24.5"L x 3.5"W</i></p>	<p>DMID-WA15</p>	
<p>Lightning Arrestor for use with Ranch Hand antennas</p>	<p>DMID-LA</p>	
<p>Ranch Hand Audio Adapter allows for transmission of audio through wireless units</p>	<p>DMID-WMIC</p>	
<p>6' Antenna Cable. Reverse SMA to N Male connector.</p>	<p>DMID-AC6</p>	<p>N/A</p>
<p>20' Antenna Extension Cable, N Male to N Female connectors. <i>Only for WA8, WA8P and WA15 antennas</i></p>	<p>DMID-AEC20</p>	
<p>80' LOW LOSS Antenna Ext. Cable <i>Only for WA8, WA8P, and WA15 antennas</i></p>	<p>DMID-AEC80</p>	<p>N/A</p>

Auxiliary Camera and Cable options






Product	Part Number	Photo
<p>ID-Mobile camera. Optional focal length, fixed focus camera. Black powder coated aluminum body.</p> <p>Fill in the first blank with the proper focal length, 2.8, 3.6, 4.3, 12 or 16mm.</p> <p><i>With Infrared add the letters "IR" after the part number</i></p>	DMID-RC____	
<p>Stainless Camera w/SSAC - Custom Lens: fill in blank 2.8, 4.3, 6, 12, 16 or Mirror</p> <p>Stainless cameras are watertight, NOT waterproof</p> <p><small>Dimensions: 2.25"H x 2"W x 2"L</small></p>	DMID-C1-SS-____	
20" Video Cable for Stainless Steel Cameras	DMID-ECSS	
60' Audio Enabled Power/Video Cable	DMID-ECA	
5' Shielded power/video Cable	DMID-EC5	N/A
10' Shielded power/video Cable	DMID-EC10	N/A
15' Shielded power/video Cable	DMID-EC15	N/A
20' Shielded power/video Cable	DMID-EC20	N/A
40' Shielded Power/Video Cable	DMID-EC40	N/A
50' Shielded Power/Video Cable	DMID-EC50	N/A
60' Shielded Power/Video Cable	DMID-EC60	N/A












ID-Mobile Law Enforcement Video Equipment















www.dakotamicro.com - 1 877 VIEW 911

All Other Accessory Options

Product	Part Number	Photo
<p>USB Hard Drive Reader. Allows for direct USB interface of 2.5" hard drive. Includes USB cable.</p> <p>1 unit per department at no charge.</p> <p><i>Hard Drive & Carriage Assembly NOT included</i> <i>Dimensions: 1.75"H x 7"W x 7.25"L</i></p>	DMID-USB	
<p>Additional 100GB Hard Drive WITH Carriage Assembly Includes formatted 2.5" hard drive and carriage assembly for use in MDR4C-V3 and USB hard drive dock.</p> <p><i>Dimensions: .75"H x 5.5"W x 5.75"L</i></p>	DMID-HD100	
<p>Additional 120GB Hard Drive WITH Carriage Assembly Includes formatted 2.5" hard drive and carriage assembly for use in MDR4C-V3 and USB hard drive dock.</p> <p><i>Dimensions: .75"H x 5.5"W x 5.75"L</i></p>	DMID-HD120	
<p>Additional 160GB Hard Drive WITH Carriage Assembly Includes formatted 2.5" hard drive and carriage assembly for use in MDR4C-V3 and USB hard drive dock.</p> <p><i>Dimensions: .75"H x 5.5"W x 5.75"L</i></p>	DMID-HD160	
<p>Telex Wireless Mic additional Transmitter</p> <p>Transmitter Dimensions: 2.5"H x 2"L x 1"D</p>	DMID-TWBM-TX	
<p>Telex Wireless Mic lapel microphone</p> <p>Accessory microphone clip, not necessary for microphone function. Extends microphone to clip on collar.</p>	DMID-TWBM-LM	

Product	Part Number	Photo
<p>Radar Data Interface. Overlays Radar data directly onto digitally recorded information.</p> <p><i>Currently available for Stalker DSR Radar only.</i></p>	DMID-RDI-STLK	N/A
<p>Trunk Mount RCA monitor extension cables. Extends length between monitor and MDR4C-V3 to allow for trunk mounting</p> <p><i>Standard RCA cables can be used</i></p>	DMID-MEC	N/A
<p>Full Color Quad Processor w/ AC & hardwire power adaptor.</p> <p>Dimensions: 1.5"H x 5.5"W x 8.25"L</p>	DMID-Q	
<p>4-Channel DVR – Stand Alone 4 channel DVR w/ DVD Burner (min. 120GB HDD). Includes remote control and A/C power supply.</p> <p>Dimensions: 2.75"H x 13.75"W x 13.75L</p>	DMID-NS04-DVDRW	
<p>9-Channel DVR – Stand Alone 9 channel DVR w/ DVD Burner (min 120GB HDD). Includes remote control and A/C power supply.</p> <p>Dimensions: 3.5"H x 17"W x 14.75"L</p>	DMID-NS09-DVDRW	
<p>16-Channel DVR – Stand Alone 16 channel DVR w/ DVD Burner (min 120GB HDD). Includes remote control and A/C power supply.</p> <p>Dimensions: 3.5"H x 17"W x 15"L</p>	DMID-NS16-DVDRW	No Photo
<p>DVR Additional HDD Space (all units include min. 120GB HDD) HDD Prices subject to change w/o notice.</p>	DMID-DR _____HD	N/A
<p>Balun w/Female AgCam Connector for use from ID-Mobile camera to Cat5</p> <p>Cord Length: 7"</p>	DMAC-B024-F	
<p>Balun BNC to Cat 5 Pwr/Grnd/Vid for use from DVR to Cat 5</p> <p>Cord Length: 13"</p>	DMID-B024	

Product	Part Number	Photo
DVR ID-Mobile multi Camera Kit includes 4 DVR pigtails, a 4 to1 power converter and A/C power adaptor.	DMID-DR-KIT	
DVR Pigtail – Connects ID-Mobile to all DVR's Directly. AID-Mobile female to BNC female & Power Cord Length: 9"	DMID-DVR-P	
A/C Adaptor (1.5 amp)	DMID-A/CA 1500	
Standard Camera Adaptor allows input of a camera with BNC connection to be input into AgCam products. AgCam male to BNC male	DMID-SCA	
Single Camera TV Adaptor includes A/C power adaptor. ID-Mobile Female to RCA & Power Cord Length: 3'	DMID-TVA	
Single Camera TV Adaptor w/ Audio includes A/C power adaptor. ID-Mobile Female to RCA & Power	DMID-TVA-A	
BNC to RCA adaptor adapts BNC into RCA for input into older style electronics.	DMID-BNC-RCA	 <p><i>Priced Individually</i></p>
Audio/Video Tap Allows for AgCam video signal to be "intercepted" by alternate recording devices via RCA out. Cord Length: 15"	DMID-AVTAP	
Security System Camera Adaptor, ID_Mobile connector to BNC and Power. Includes A/C power. Allows input of camera into existing security system. ID-Moible female to BNC male & Power. Cord Length: 3'6	DMID-SSA	
12v combined w/Hardwire Adaptor	DMID-12v/Hardwire	
30" Armored Cable for the Stainless Steel Camera	DMID-SSAC	

Product	Part Number	Photo
Panavise Adjusting Knuckle w/ 1/4 20 Stud (also available with a T-bolt, Part# PV 651-TS)	DMID-PV 651-S	
Panavise 675 Top and Base Plate. Top plate also fits Duck Foot adhesive plate.	DMID-PV 675-BT	
Panavise 675 Duck Foot with adhesive	DMID-PV 675-DF	
Panavise 13" Flex Shaft w/ Knuckle	DMID-PV 817-13	Photo Not Available
Panavise Flex Mount Adaptor	DMID-PV 817-A	Photo Not Available
Panavise Deluxe Micro Mount	DMID-PV 845-246	
Panavise 3" Extension Shaft	DMID-PV 856-03	
Panavise 6" Extension Shaft	DMID-PV 856-06	
Panavise Telescopic Rise Bar expands from 6.75" to 11".	DMID-PV 856-T	
Panavise Square Base with 1/4 20	DMID-PV 861	
Panavise 863 T-Clip	DMID-PV 863	
Panavise Corner Pipe Base	DMID-PV 865	
Panavise Ball w/ 1/4 20 Stud for 809	DMID-PV ball w/ 1/4 20	
Panavise Ball w/ Amps	DMID-PV Ball w/amps	
Panavise Ball with T-Stud	DMID-PV ball w/T-stud	
Panavise Tri-Base	DMID-PV 860	
Monitor Remote Replacement	DMID-REMOTE	